



**VINTAGE
SERIES**

Black NR Automotive Window Films	VLT	VLR	TSEt	TSEr	TSEa	UVR	TSER	GR
VINTAGE 05	5	6	40	7	53	99	42	95
VINTAGE 15	15	6	44	6	50	99	41	83
VINTAGE 20	20	6	45	7	48	99	40	78
VINTAGE 30	32	6	53	6	41	99	37	65
VINTAGE 35	35	6	50	7	43	99	37	62
VINTAGE 43	43	6	55	6	39	99	33	53
VINTAGE 50	50	6	57	7	36	99	30	45

**FXTREME2
SERIES**

Nano-Ceramic Automotive Window Films	VLT	VLR	TSEt	TSEr	TSEa	UVR	TSER	GR	IR Rejection
FXTREME2 05	5	6	11	6	83	99	66	96	76
FXTREME2 13	13	6	13	6	81	99	64	86	78
FXTREME2 20	18	6	16	6	78	99	62	82	76
FXTREME2 30	32	7	23	6	71	99	58	65	76
FXTREME2 35	37	7	25	6	69	99	56	58	76
FXTREME2 40	41	7	28	6	66	99	53	54	76
FXTREME2 45	45	7	30	6	64	99	52	49	76
FXTREME2 50	50	7	31	6	63	99	51	45	76
FXTREME2 70	70	8	35	7	58	99	49	24	88
FXTREME2 80	79	9	47	7	46	99	40	13	72

TSEr = Total Solar Reflectance

GR = Glare Reduction

VLT = Visible Light Transmission

TSEt = Total Solar Transmittance

UVR = Ultraviolet Rejected

TSER = Total Solar Energy Rejected

VLR = Visible Light Reflectance (Int)

TSEa = Total Solar Absorbance